




Cable / alambre de termopar (IEC) Tipo K PVC aislado par plano



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Cable / alambre de termopar (IEC) Tipo K PVC aislado par plano

El cable de compensacin se asemeja a la caracterstica termoelectrica del termopar relevante en un rango de temperatura ambiente limitado, de 0 a 80 C tpicamente. Dado que estos cables estn hechos de materiales de bajo costo, se pueden lograr ahorros de costos en las instalaciones de la planta en comparacin con el uso de un verdadero cable de extensin de termopar.

Caractersticas tcnicas
Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	10, 25, 50, 100 or 200m
Cable Type	Flat pair construction
Core / Strands	7/0.2mm / 13/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Conductor Cross Section 13/0.2 (mm²)	0.408
Outer Colour	Green
+ Colour	Green
- Colour	White
Drain Wire	No
Insulation Material	PVC Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	4.5

Max. Temperature	+105°C
Min. Temperature	-10°C
+ Conductor	Nickel Chromium
- Conductor	Nickel Aluminium
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	K
Tolerance	Class 2