




Tipo J Cable de termopar de par plano aislado de fibra de vidrio / alambre (IEC)



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Tipo J Cable de termopar de par plano aislado de fibra de vidrio / alambre (IEC)

Construcción de par plano aislado con fibra de vidrio, conductores colocados planos, fibra de vidrio aislada con fibra de vidrio en general, barnizado de silicona en todas partes. Buena resistencia a la temperatura pero no es adecuado donde los fluidos están presentes.

Specifications

General Description	Good temperature range but will not prevent ingress of fluids. Fairly flexible but does not provide good mechanical protection.
Cable Length	10m, 25m, 50m, 100m
Cable Type	Flat pair cable
Core / Strands	1/0.2mm, 1/0.315mm, 7/0.2mm
Conductor Cross Section 1/0.2 (mm²)	0.032
Conductor Cross Section 1/0.315 (mm²)	0.078
Conductor Cross Section 7/0.2 (mm²)	0.219
Outer Colour	Black & White
+ Colour	Black
- Colour	White
Drain Wire	No
Insulation Material	Glassfibre insulated



Loop Resistance 1/0.2 (Ohms per combined metre)	19.3
Loop Resistance 1/0.315 (Ohms per combined metre)	7.8
Loop Resistance 7/0.2 (Ohms per combined metre)	2.7
Max. Temperature	+350°C (short periods up to 400°C)
Min. Temperature	-60°C
+ Conductor	Iron
- Conductor	Constantan
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	J
Tolerance	Class 2